



SURGICAL CHAIRS & TABLES FOR EYE- & MICROSURGERY

PRODUCT GUIDE 2026



ASSISTANT'S CHAIR

assistPro

assistPro



assistPro F Item No.: 2400 0005
assistPro H Item No.: 2400 0009

The perfect assistant's chair for your OR.

Chassis

- High-grade 5-arm aluminum pedestal
- Excellent handling characteristics thanks to smooth-running double castors
- Optionally available with braking double castors
- Supports loads up to 130 kilograms



Seating system


Comfort Seat

- Ergonomically shaped seat and backrest with lumbar support
- Support for correct, back-friendly sitting posture and reduction of tension caused by prolonged sitting
- Durable, easy-care seat cover made of medical-grade artificial leather to meet the highest OR requirements
- Optionally available with electrically conductive upholstery



Flexibility

Variants



Technical specifications

Lifting column

• Height adjustment	assistPro F	530 – 730 mm
	assistPro H	520 – 720 mm

Chassis

• Five legged chassis	ø 585 mm
• Castors	ø 65 mm

Comfort seat

• D x W x H (incl. back part)	385 x 425 x 540 mm
• Seat angle adjustment	-5°/+5°
• Back angle adjustment	-18°/+5°

Weight

assistPro F	12 kg
assistPro H	11 kg

Max. load

	130 kg
--	--------

Subject to technical modifications.

- Sterile, comfortable height adjustment via foottriggered gas pressure spring (assistPro F)
- Classic seat height adjustment via manual trigger underneath the seat (assistPro H)
- Flexible height adjustment from 53 to 73 cm (assistPro F) and 52 to 72 cm (assistPro H)
- Optionally available with arm supports (assistPro F)

Standard color

black	Item No.: 3037 0235
-------	---------------------

You can find additional colors on the color card „PeriLine“ on page 95



Comfort

Components



assistTrend
Item No.: 2500 0002



assistPro F
Item No.: 2400 0005



assistPro H
Item No.: 2400 0009



assistTrend
Armrest pair
incl. traverse

Item No.: 3300 0000



assistPro F
Armrest pair
incl. traverse

Item No.: 3351 0038



easyPro F
Item No.: 2400 0010



Double rimmed castor,
65 mm, with braking function

Item No.: 3351 0040

Color card

PeriLine



Product Specification

- Without Phthalates
- Biocompatibility:
cytotoxicity (EN ISO 10 993-5) and
epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022

+ Item No.: 3037 0...



kastanie 015817
Item No.:240



light brown 016037
Item No.:239



creme 015812
Item No.:225



weiß 010881
Item No.:224



stein 015813
Item No.:236



saphir 015814
Item No.:231



delft 010766
Item No.:241



antistatisch schwarz
Item No.:223



schwarz 011499
Item No.:235



anthracit 016046
Item No.:234



azur 015815
Item No.:230



aubergine 016041
Item No.:229



lavendel 016042
Item No.:228



rot 010878
Item No.:238



orange 016040
Item No.:237



kiwi 015816
Item No.:233



lime green 016043
Item No.:232



lemon 016039
Item No.:226



safran 010879
Item No.:227

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



eyeForce



500 XLE



500 XLE comfort



500 XLS



500 ECO



400 XL



motionLine



surgiForce



surgiForce light



surgiTrend



surgiLine



stayClean



stayClean roll



stayClean kick bucket



stayClean collector



assistTrend



assistPro F



assistPro H



easyPro F



easyLine F



easyLine R



assistLine



supportLine



CONTACT US

UFSK-International OSYS GmbH
Kirchhoffstraße 1
93055 Regensburg
Germany

Tel. +49 (0) 941 78862 15
Fax +49 (0) 941 78862 35
E-Mail info@ufsk-osys.com
Web ufsk-osys.com

MADE IN GERMANY
Design | Construction | Manufacturing